The British Journal of Clinical Pharmacology

Volume 36
1993

Published for
The British Pharmacological Society by
Blackwell Scientific Publications

© 1993 Blackwell Scientific Publications
Osney Mead, Oxford OX2 0EL
25 John Street, London WC1N 2BL
23 Ainslie Place, Edinburgh EH3 6AJ
Suite 500, 5th Floor, 238 Main Street, Boston, MA 02142, USA
54 University Street, Carlton, Victoria 3053, Australia

Other Editorial Offices:
Arnette SA
2, rue Casimir-Delavigne
75006 Paris
France

Blackwell Wissenschaft
Meinekestrasse 4
D-1000 Berlin 15
Germany

Blackwell MZV
Feldgasse 13
A-1238 Wien
Austria

Published on behalf of
The British Pharmacological Society

All rights reserved. No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, recording, or otherwise, without the prior permission of the copyright owner. Authorization to photocopy items for internal or personal use, or the internal or personal use of specific clients, is granted by Blackwell Scientific Publications for libraries and other users registered with the Copyright Clearance Center (CCC) Transactional Reporting Service, provided that the base fee of $10.00 per copy is paid directly to CCC, 27 Congress Street, Salem, MA 01970, USA. 0306-5251/93 $10.00/0. (For copying beyond that permitted by Sections 107 or 108 of the US Copyright Law). This consent does not extend to other kinds of copying, such as copying for general distribution, for advertising or promotional purposes, for creating new collective works, or for resale. Special requests should be addressed to the Editor.

Typeset by Oxprint Ltd, Oxford
Printed in Great Britain
at the University Press, Cambridge

Contents

Volume 36, Number 1, July 1993

Review

1 Do diuretics cause magnesium deficiency?: *D. L. Davies & R. Fraser*

Personal view

11 Rational prescribing in primary care—a new role for clinical pharmacology?: *T. Walley*

The Lilly Lecture

13 Clinical Pharmacology: its efficacy and prospects. *P. Turner*

Papers

19 A comparison of the effects of two putative 5-hydroxytryptamine renal prodrugs in normal man: *T. C. Li Kam Wa, S. Freestone, R. R. Samson, N. R. Johnston & M. R. Lee*

25 Effects of physiological and pharmacological variation of sympathetic nervous system activity on plasma non-esterified fatty acid concentrations in man: *P. Barbe, J. Galitzky, D. Riviere, J. M. Senard, M. Lafontan, M. Garrigues & M. Berlan*

31 The use of a three compartment *in vitro* model to investigate the role of hepatic drug metabolism in drug-induced blood dyscrasias: *M. D. Tingle & B. K. Park*

39 The basis of the histamine assay in human skin: II wheal formation: *C. Carey, M. Clark, J. A. Lopez-Gil & D. W. Vere*

45 L-Arginine infusion has no effect on systemic haemodynamics in normal volunteers, or systemic and pulmonary haemodynamics in patients with elevated pulmonary vascular resistance: *S. V. Baudouin, P. Bath, J. F. Martin, R. Du Bois & T. W. Evans*

51 A cross-over comparison of the anti-clotting effects of three low molecular weight heparins and glycosaminoglycuronan: *J. C. J. Stiekema, J. M. T. Van Griensven, T. G. Van Dinther & A. F. Cohen*

57 The passage of cloxacillin into cerebrospinal fluid in the absence of meningitis: *H. I. Schievink, H. Mattie, R. T. W. M. Thomeer & E. Van Strijen*

61 Effects of zolpidem on saccadic eye movements and psychomotor performance: a double-blind, placebo controlled study in healthy volunteers: *A. Richens, A. J. Mercer, D. M. Jones, A. Griffiths & R. W. Marshall*

67 Acute and subchronic effects of the H_1-histamine receptor antagonist ebastine in 10, 20 and 30 mg dose, and triprolidine 10 mg on car driving performance: *K. A. Brookhuis, G. De Vries & D. De Waard*

Short reports

71 Peripheral benzodiazepine receptors in platelets of epileptic patients: *J. G. Larkin, P. J. W. McKee, G. G. Thompson & M. J. Brodie*

75 Stereoselective disposition of (±)-sotalol at steady-state conditions: *C. Fiset, F. Philippon, M. Gilbert & J. Turgeon*

78 Disposition of the enantiomers of hydroxy-chloroquine in patients with rheumatoid arthritis following multiple doses of the racemate: *A. J. McLachlan, S. E. Tett, D. J. Cutler & R. O. Day*

82 The effects of indomethacin and naproxen on zidovudine pharmacokinetics: *M. Barry, J. Howe, D. Back, A. Breckenridge, R. Brettle, R. Mitchell, N. J. Beeching & F. J. Nye*

Letters to the Editors

87 Metabolism of didanosine (ddI) by erythrocytes: pharmacokinetic implications: *M. Barry, D. Back, S. Ormesher, N. Beeching & F. Nye*

88 Impedance cardiography: *H. W. K. Ng & T. Walley: S. H. L. Thomas*
Frequency of adverse drug reactions: *A. De Boer: P. C. Waller*

Volume 36, Number 2, August 1993

Papers

93 R-verapamil: pharmacokinetics and effects on PR interval, blood pressure and heart rate: *J. H. Ahmed, J. Godden, P. A. Meredith & H. L. Elliott*

99 Interaction study between nifedipine and recombinant tissue-type plasminogen activator in healthy subjects: *A. De Boer, C. Kluft, F. J. Kasper, J. M. Kroon, H. C. Schoemaker, D. D. Breimer, P. A. Soons & A. F. Cohen*

105 Proguanil metabolism is determined by the mephenytoin oxidation polymorphism in Vietnamese living in Denmark: *K. Brøsen, E. Skjelbo & H. Flachs*

109 A comparison of the concentration-effect and relationships of midazolam for EEG-derived parameters and saccadic peak velocity: *A. L. Van Steveninck, J. W. Mandema, B. Tuk, J. G. Van Dijk, H. C. Schoemaker, M. Danhof & A. F. Cohen*

117 GABA-ergic control of visual perception in healthy volunteers: effects of midazolam, a benzodiazepine, on spatio-temporal contrast sensitivity: *O. Blin, D. Mestre, O. Paut, J. L. Vercher & C. Audebert*

Short reports

125 Creatinine elevation in patients receiving amiodarone correlates with serum amiodarone concentration: *P. T. Pollak, A. D. Sharma & S. G. Carruthers*

128 Pharmacokinetics of zidovudine after the initial single dose and during chronic-dose therapy in HIV-infected patients: *K. Gallicano, J. Sahai, E. Ormsby, D. W. Cameron, A. Pakuts & I. McGilveray*

Letters to the Editors

133 Mianserin in breast milk: *A. Buist, T. R. Norman & L. Dennerstein*

134 Adenosine agonists and global cerebral ischaemia: *R. Kolvenbach, C. Figge, E. Godehardt & W. Sandmann*

135 Oral availability of fluticasone propionate: *P. Andersson, R. Brattsand, K. Dahlström & S. Edsbäcker*

136 The oral systemic availability of fluticasone propionate in man—preliminary data: *A. Bye*

137 *Ginkgo biloba* extract and cognitive decline: *D. M. Warburton*

Proceedings

139 Proceedings of the British Pharmacological Society (14–16 April 1993, University of Aberdeen)

Volume 36, Number 3, September 1993

Leading article

183 European Association of Clinical Pharmacology and Therapeutics

Papers

185 The influence of renal function on the enantioselective pharmacokinetics and pharmacodynamics of ketoprofen in patients with rheumatoid arthritis: *P. J. Hayball, R. L. Nation, F. Bochner, L. N. Sansom, M. J. Ahern & M. D. Smith*

195 Individual and combined effects of cimetidine and ciprofloxacin on theophylline metabolism in male nonsmokers: *C.-M. Loi, B. M. Parker, B. J. Cusack & R. E. Vestal*

201 A comparison in young and elderly subjects of the pharmacokinetics and pharmacodynamics of single and multiple doses of benazepril: *N. J. Macdonald, H. L. Elliott, D. M. Hughes & J. L. Reid*

205 The effects of age on the pharmacokinetics and pharmacodynamics of single oral doses of benazepril and enalapril: *N. J. Macdonald, A. Sioufi, C. A. Howie, J. R. Wade & H. L. Elliott*

211 The influence of orally deposited budesonide on the systemic availability of budesonide after inhalation from a Turbuhaler®: *S. Pedersen, G. Steffensen & S. V. Ohlsson*

215 The pharmacokinetics and physiological effects of buprenorphine infusion in premature neonates: *D. A. Barrett, J. Simpson, N. Rutter, T. Kurihara-Bergstrom, P. N. Shaw & S. S. Davis*

221 Bioavailability and absorption kinetics of nicotine following application of a transdermal system: *S. K. Gupta, N. L. Benowitz, P. Jacob III, C. N. Rolf & J. Gorsline*

229 Effects of interferon-α monotherapy on hepatic drug metabolism in cancer patients: *B. C. Israel, R. A. Blouin, W. McIntyre & S. I. Shedlofsky*

237 Impaired absorption of paracetamol in vegetarians: *L. F. Prescott, K. Yoovathaworn, K. Makarananda, R. Saivises & K. Sriwatanakul*

241 Evidence for differences in the binding of drugs to the two main genetic variants of human α_1-acid glycoprotein: *F. Herve, E. Gomas, J.-C. Duche & J.-P. Tillement*

251 The dose dependency of the α-adrenoceptor antagonist and β-adrenoceptor partial agonist activity of dilevalol and labetalol in man: *T. C. K. Tham, J. P. McKaigue, S. Guy, R. G. Shanks & J. G. Riddell*

257 Double dummy comparison between once and twice daily dosing with modified-release carbamazepine in epileptic patients: *P. J. W. McKee, J. Blacklaw, A. Carswell, R. A. Gillham & M. J. Brodie*

Short reports

263 Steady state serum concentrations of pravastatin and digoxin when given in combination: *J. Triscari, B. M. Swanson, D. A. Willard, A. I. Cohen, A. Devault & H. Y. Pan*

266 Effect on dietary fat absorption of orlistat, administered at different times relative to meal intake: *D. Hartmann, Y. Hussain, C. Güzelhan & J. Odink*

271 The haemodynamic effects of GR 32191, a thromboxane A_2 receptor antagonist, in patients with renal artery stenosis and hypertension: *D. Lyons, G. Fowler, J. C. Petrie & J. Webster*

Volume 36, Number 4, October 1993

Meeting report

275 Inaugural meeting of European network of therapeutics teachers

Papers

277 Red blood cell hypoxanthine phosphoribosyltransferase activity measured using 6-mercaptopurine as a substrate: a population study in children with acute lymphoblastic leukaemia: *L. Lennard, J. P. Hale & J. S. Lilleyman*

285 Studies on the bronchodilator, tremorogenic, cardiovascular and hypokalaemic effects of fenoterol dry powder in asthma: *K. G. Bauer, B. Kaik, K. Sertl & G. A. Kaik*

293 Screening for human immunodeficiency virus: a survey of British clinical pharmacology units: *M. Thomson, W. G. Haynes & D. J. Webb*

303 Inhibition of prostaglandin synthesis does not affect contractile responses to noradrenaline, serotonin, angiotensin II nor endothelin-1 in human forearm isolated veins: *J. P. F. Chin, R. M. Hurlston & A. M. Dart*

309 Circulatory effects of the PDE-inhibitors piroximone and enoximone: *J. Boldt, Ch. Knothe, B. Zickmann, E. Schindler, W. A. Stertmann & G. Hempelmann*

315 A comparison of the acute haemodynamic effects of nisoldipine and nifedipine during treatment with atenolol in patients with coronary artery disease: *K. M. Donaldson, K. D. Dawkins & D. G. Waller*

323 The antihypertensive efficacy and tolerability of a low dose combination of ramipril and felodipine ER in mild to moderate essential hypertension:

A. D. Bainbridge, R. J. MacFadyen, S. Stark, K. R. Lees & J. L. Reid

331 Post-exercise reduction in blood pressure in hypertensive subjects: effects of angiotensin converting enzyme inhibition: *M. Beaulieu, A. Nadeau, Y. Lacourcière & J. Cléroux*

339 The pharmacokinetics of Casodex enantiomers in subjects with impaired liver function: *I. D. Cockshott, E. A. Sotaniemi, K. J. Cooper & D. C. Jones*

345 Differential effects of misoprostol and ranitidine on the pharmacokinetics of diclofenac and gastrointestinal symptoms: *H. G. Dammann, J. Simon-Schultz, I. Steinhoff, A. Damaschke, A. Schmoldt & E. Sallowsky*

351 Intramuscular picenadol in patients with postoperative pain: *R. L. Brunelle, D. J. Goldstein, R. E. George & D. M. Zimmerman*

357 Stereoselective pharmacokinetics of pazinaclone, a new non-benzodiazepine anxiolytic, and its active metabolite in healthy volunteers: *Z. Hussein, D. J. Mulford, B. A. Bopp & G. R. Granneman*

Short reports

363 The pharmacokinetics of tranylcypromine enantiomers in healthy subjects after oral administration of racemic drug and the single enantiomers: *H. Weber-Grandke, G. Hahn, E. Mutschler, W. Möhrke, P. Langguth & H. Spahn-Langguth*

366 The pharmacokinetics of oxcarbazepine and its active metabolite 10-hydroxy-carbazepine in healthy subjects and in epileptic patients treated with phenobarbitone or valproic acid: *A. Tartara, C. A. Galimberti, R. Manni, R. Morini, G. Limido, G. Gatti, A. Bartoli, G. Strada & E. Perucca*

369 The personality structure of 'normal' volunteers: *C. J. Ball, P. M. McLaren & P. J. Morrison*

372 An *in vivo* assessment of the tobramycin/ticarcillin interaction in cystic fibrosis patients: *G. W. Roberts, R. L. Nation, A. O. Jarvinen & A. J. Martin*

376 Computerised psychomotor performance testing: a comparative study of the single dose pharmacodynamics of minaprine and amitriptyline in young and elderly subjects: *M. T. Kinirons, S. H. D. Jackson, L. Kalra, R. T. Trevit & C. G. Swift*

380 Absence of an inhibitory effect of omeprazole and nizatidine on phenytoin disposition, a marker of CYP2C activity: *K. A. Bachmann, T. J. Sullivan, L. Jauregui, J. H. Reese, K. Miller & L. Levine*

Volume 36, Number 5, November 1993

Methods

383 Assessment of changes in psychomotor performance of elderly subjects: *L. Kalra, S. H. D. Jackson & C. G. Swift*

Papers

391 Age-related differences in the pharmacokinetics and pharmacodynamics of lansoprazole: *Z. Hussein, G. R. Granneman, D. Mukherjee, E. Samara, D. L. Hogan, M. A. Koss & J. I. Isenberg*

399 The effect of age and frailty upon blood esterase activities and their response to dietary supplementation: *J. Summerhill, H. Wynne, C. R. Hankey & F. M. Williams*

405 Absorption and *in vivo* dissolution of hydroxychloroquine in fed subjects assessed using deconvolution techniques: *A. J. McLachlan, S. E. Tett, D. J. Cutler & R. O. Day*

413 Distribution of indomethacin in human milk and estimation of its milk to plasma ratio *in vitro*: *L. Beaulac-Baillargeon & G. Allard*

417 Analgesic efficacy of non-steroidal anti-inflammatory drugs in experimental pain in humans: *J. S. Walker, J. F. Arroyo, T. Nguyen & R. O. Day*

427 Cardiovascular effects of eating, atenolol and their interaction: β_1-adrenergic modulation does not play a predominant role in the genesis of post-prandial effects: *C. De Mey, D. Enterling & I. Meineke*

437 *In vivo* shear flow and erythrocyte membrane fluidity in hypertensive patients: *K. H. Le Quan Sang, J. Levenson, M. Del Pino, A. Simon & M.-A. Devynck*

445 Comparison of the extrapulmonary β_2-adrenoceptor responses and pharmacokinetics of salbutamol given by standard metered dose-inhaler modified actuator device: *D. M. Newnham, D. G. McDevitt & B. J. Lipworth*

451 The effects of the COMT inhibitor entacapone on haemodynamics and peripheral catecholamine metabolism during exercise: *S. Sunberg, M. Scheinin, A. Illi, J. Akkila, A. Gordin & T. Keränen*

Short reports

457 Trough concentration of cyclosporine in blood following administration with grapefruit juice: *M. P. Ducharme, R. Provenzano, M. Dehoorne-Smith & D. J. Edwards*

460 Quercetin, an *in vitro* inhibitor of CYP3A, does not contribute to the interaction between nifedipine and grapefruit juice: *J. Rashid, C. McKinstry, A. G. Renwick, M. Dirnhuber, D. G. Waller & C. F. George*

464 Oral pharmacokinetics and food interaction of the leukotriene D_4 receptor antagonist verlukast: *J. I. Schwartz, D. J. Margolskee, T. D. Bjornsson, V. C. Williams, J. Y. Hsieh, C. C. Lin & J. D. Rogers*

467 Single and multiple dose pharmacokinetics of lansoprazole in elderly subjects: *B. Flouvat, B. Delhotal-Landes, A. Cournot & F. Dellatolas*

470 Biopharmaceutical characterisation of a low-dose (75 mg) controlled-release aspirin formulation: *W. N. Charman, S. A. Charman, D. C. Monkhouse, S. E. Frisbee, E. A. Lockhart, S. Weisman & G. A. Fitzgerald*

474 Stress responses after treatment of hypercholesterolaemia with simvastatin: *A.-M. Nugent, D. Neely, I. Young, I. McDowell, M. O'Kane, N. Bell, C. F. Stanford & D. P. Nicholls*

Letters to the Editors

479 Nerve mediated relaxation in human detrusor muscle: *R. A. Elliott & C. M. Castleden*

480 Significance of atropine concentration for the incidence of tetrodotoxin-resistant relaxations of human detrusor strips: *M. J. James, D. R. Harriss, A. T. Birmingham & S. J. Hill*

481 Glyceryl trinitrate, flatus and defaecation: *A. Herxheimer*

Meeting report

483 Drug utilization and clinical pharmacology. Report on British Pharmacological Society Symposium at Trinity College Dublin on Thursday 9 July 1992: *J. Feely*

Proceedings

487 Proceedings of the British Pharmacological Society (14–16 July 1993, University of Bradford)

Volume 36, Number 6, December 1993

Leading article

507 Systematic reviews of randomised controlled trials: important for clinical pharmacologists: *A. Herxheimer*

Education

511 A survey of undergraduate and continuing medical education about antimicrobial chemotherapy in the United Kingdom: *P. Davey, S. Hudson, G. Ridgway & D. Reeves*

Papers

521 Identification of human liver cytochrome P450 isoforms mediating omeprazole metabolism: *T. Andersson, J. O. Miners, M. E. Veronese, W. Tassaneeyakul, W. Tassaneeyakul, U. A. Meyer & D. J. Birkett*

531 Influence of CYP2D6-dependent metabolism on the steady-state pharmacokinetics and pharmacodynamics of metoprolol and nicardipine, alone and in combination: *M.-A. Laurent-Kenesi, C. Funck-Brentano, J.-M. Poirier, D. Decolin & P. Jaillon*

539 Acute and chronic effects of flosequinan on resting and exercise haemodynamics in congestive heart failure: *P. Thomas, D. J. O'Gorman & D. J. Sheridan*

547 Multiple dose pharmacokinetics and concentration effect relationship of the orally active renin inhibitor remikiren (Ro 42-5892) in hypertensive patients: *C. Weber, H. Birnböck, J. Leube, I. Kobrin, C. H. Kleinbloesem & P. Van Brummelen*

555 Haemodynamic comparison of amlodipine and atenolol in essential hypertension using the quantascope: *T. C. K. Tham, N. Herity, S. Guy & B. Silke*

561 A comparative assessment of the duration of action of amlodipine and nifedipine GITS in normotensive subjects: *S. Ueda, P. A. Meredith, C. A. Howie & H. L. Elliott*

567 β-adrenoceptor subtypes mediating the airways response to BRL 35135 in man: *D. M. Newnham, C. G. Ingram, A. Mackie & B. J. Lipworth*

573 Small bolus injections of intravenous midazolam for upper gastrointestinal endoscopy: a study of 788 consecutive cases: *M. R. Smith, G. D. Bell, M. A. Quine, G. M. Spencer, A. E. Morden & J. G. Jones*

579 Neuroleptic drug utilization in out-patients—a prescription database study: *J.-U. Rosholm, L. J. Hansen, J. Hallas & L. F. Gram*

585 Pharmacokinetics, efficacy and toxicity of parenteral halofantrine in uncomplicated malaria: *S. Krishna, F. ter Kuile, W. Supanaranond, S. Pukrittayakamee, P. Teja-Isavadharm, D. Kyle & N. J. White*

593 Interindividual variability of phenol- and catechol-sulphotransferases in platelets from adults and newborns: *G. M. Pacifici & G. Marchi*

Short reports

599 A clinical pharmacological assessment of doxazosin and enalapril in combination: *A. D. Bainbridge, P. A. Meredith & H. L. Elliott*

603 Vigabatrin-induced decrease in serum phenytoin concentration does not involve a change in phenytoin bioavailability: *G. Gatti, A. Bartoli, R. Marchiselli, R. Michelucci, C. A. Tassinari, F. Pisani, G. Zaccara, P. Timmings, A. Richens & E. Perucca*

607 Frusemide causes acute increases in lipid concentrations: *N. R. C. Campbell, W. A. Wickert & S. L. Shumak*

610 Cigarette smoking enhances the elimination of quinine: *S. Wanwimolruk, S. M. Wong, P. F. Coville, S. Viriyayudhakorn & S. Thitiarchakul*

Letter to the Editors

615 An interaction between carbamazepine and fluvoxamine: *V. Martinelli, A. Bocchetta, A. M. Palmas & M. Del Zompo*

Indexes

617 Author and subject indexes to Volume 36